

**ALUMINIUM  
GLASS RAILING  
SOLUTIONS**





### On-floor glass supporting system

The hard aluminium alloy supporting brackets are installed on fully finished floor, marble or on a balcony parapet.

## Your Complete Glass Railing Solutions

REMSON Rail System Inc. is promoted by the entrepreneurs having cumulative experience of more than 50 years in the field of aluminium extrusion products. The promoters are also into construction business for more than 10 years.

The product-integrated Glass Rail System is having technological base of aluminium extrusion and is used mainly in the construction industry. Hence, the promoters are well-versed with the technology used for the products and do know the importance, necessity and usage of integrated Glass Rail System.

In today's modern architecture building, glass railing are utterly important for splendid outlook as well as keeping safety measures. There are fixed elements used in the design of modern architecture. They are used vastly in each and every structure. They are used in corporate offices, residences, large commercials etc. Aluminium Glass Railing Systems are so popular because of attractive look and higher safety.

An ISO 9001:2015 Certified Company





This new Railing system is totally frame less without any visual obstruction of vertical member and ensures crystal clear view and unique feeling of freedom.



# Square line

True definition of superior *quality* and *offbeat* design




Bracket size in mm  
75\* 100\* 150\* 200\*

Compatible Glass  
12mm, 13.52mm



Bracket wise and  
Full cover profile

Recommended Glass  
Height Max. 975\*mm

 Floor mount  
installation

# Star line

A product beyond excellence..



Bracket size in mm  
75\* 100\* 150\* 200\*

Compatible Glass  
12mm, 13.52mm, 15mm

Bracket wise and  
Full cover profile

Recommended Glass  
Height Max. 1050\*mm





Floor mount  
installation



# Spark line

Form and function : simple, smart and selective...!





Bracket size in mm 75* 100* 150* 200*	Compatible Glass 12mm, 13.52mm, 15mm	Bracket wise and Full cover profile	Recommended Glass Height Max. 1050*mm	 Floor mount installation
--	---	--	--	---





## Sea line

Dive deep in the sea of fresh ideas with this **pearl**




Bracket size in mm  
75\* 100\* 150\* 200\*

Compatible Glass  
12mm, 13.52mm

Bracket wise and  
Full profile


Recommended Glass  
Height Max. 1050\*mm

 Conceal  
installation



## Sky line

Because sky is the limit of [new innovations...](#)



Bracket size in mm  
75\* 100\* 150\* 200\*

Compatible Glass  
12mm, 13.52mm

Bracket wise and  
Full cover profile

Recommended Glass  
Height Max. 1150\*mm





Floor mount  
installation





**Sleek line**


A product way classier and elegant



Full profile	Compatible Glass 12mm	Recommended Glass Height Max. 1050*mm		Floor mount installation
--------------	-----------------------	---------------------------------------	---	--------------------------

# Small line

A product that is truly a noteworthy experience



Full profile

Compatible Glass 10mm, 12mm

Recommended Glass Height Max. 750\*mm





Floor mount installation  
Internal railing



Products that won't disappoint

## Small line Plus



Full profile

Compatible Glass  
12mm, 13.52mm

Recommended Glass  
Height Max. 1050\*mm





Floor mount  
installation



# Slim line

Once you experience this product, you will not settle for less



Full profile

Compatible Glass  
12mm, 13.52mm, 15mm

Recommended Glass  
Height Max. 1050\*mm





Floor mount /  
Conceal / Stairway






**Smart line**



This product is a true commitment to excellence




Full profile	Compatible Glass 13.52mm to 17.52mm	Recommended Glass Height Max. 1125*mm	 Floor mount installation
--------------	--	--	--

# Super line

Shaping the form that makes you go 'wow' !





Full profile | Compatible Glass 15mm to 21.52mm | Recommended Glass Height Max. 1200\*mm |  Floor mount installation






## Signature line



A sheer example of how *passionate we are* of winning!



Full profile	Compatible Glass 17.52mm to 25.52mm	Recommended Glass Height Max. 1275*mm	 Floor mount installation
--------------	--	--	--

## Sun line



Series 4010, 4008, 5010, 5008



Floor mount  
installation

Full Aluminum Bar Railing System

## Sun Star line




Floor mount  
installation

Full Aluminum Railing  
with Glass / without Glass


Compatible Glass  
12mm, 13.52mm




# Hand Rail




Square




Round




Sleek




Slim




Half Round




Rectangle 60 x 40




Rectangle




Rectangle with LED\*




Incline



Incline with LED\*



Triangle



Small Handrail

Available in a wide range  
suitable to all type of design

LED Strip & Its installation would be in client's scope

**Surface Finish**


- Anodise : Silver, Champagne
- PVDF : Silver, Champagne
- Wooden : Light, Dark
- Powder Coating : As per customer requirement

## Accessories


### Connector



Round





Half Round



Square

### Bend



### Wall conceal



Round



Half Round



Square




Slim



Sleek



Inclined



Rectangle



Edge Guard

### Hand rail end cap



### Bracket end cap



And many more accessories...

## Integrated Glass Railing System



Easy and perfect  
installation



Weather proof



Easy Cleaning



Maintenance free



Light Weight and  
Robust for Higher safety



100% Recyclable

# Elements for Glass Railing



## Aluminium

Aluminium is light weight and equally strong metal. No other material can match the characteristics of aluminium. Application of Oxide layer protects the metal from rust and corrosion. The same is further strengthened by anodisation or PVDF Coating. Aluminium as a metal is 100% recyclable and non-toxic. It naturally withstands the effects of heat, cold, wind and sun.

## Glass

Glass is major element of Aluminium Glass Railing. It provides seamless view and vision to the world through. Glass also provides additional strength to the railing system as it connects the bottom and top of the railing system. We recommend the Laminated Glass to be used with our system. It increases the safety and also provides predictable behavior in case of breakage or suicide of the glass.

## Wedges

Wedges are small and critical component to Entire Glass railing system. We use highest quality Nylon to manufacture best quality possible Wedges and enhance the strength of the Railing system.


## Fastener

Fasteners are the Component playing major roll for total strength and stability of the Railing System. We use only best quality Fasteners from Fischer and Hilti for our different railing Installation requirement.

## Advantages

Aluminium Glass Railings are an ideal solution for balconies, stairs and building enclosures for high architectural standards, offering an impressive and functional result with Seamless View.

Elegant line | Maximum security | Uninterrupted view | Free of maintenance | Patented system  
Optional use of top handrail | Wide choice of colors : RAL, Anodized & PVDF





Manufactured by :

**Remson Rail Systems INC**

G-1908, Lodhika GIDC, Kalawad Road,  
Metoda - 360 021. Rajkot. (Gujarat) India.

Ph. : 02827 287232  
02827 287233

E: [info@remsonrail.com](mailto:info@remsonrail.com)

W: [www.remsonrail.com](http://www.remsonrail.com)

**An ISO 9001:2015 certified company**

**Note:**

All the design & development rights of the displayed Railing system is Held with Remson Rail Systems Inc. production/reproduction of the same may be liable for legal action.  
Railing System displayed in catalogue is for representation purpose only. Final product may vary then displayed product in catalogue.

**REMSON**



ALUMINIUM  
GLASS RAILING  
SOLUTIONS

